Haysville Public Schools Asthma Care Plan and Medication Order for School PARENT/GUARDIAN to complete this portion and sign completed form. Student Name: Birthdate: Parent/Guardian Name: Phone: Healthcare Provider Name: Phone: Triggers: Weather (cold, wind) Illness Exercise Smoke Dust Pollen | Other: Life Threatening Allergy – Specify: The medication listed below must be taken during school hours as directed by the health care provider. I grant permission for Haysville Schools to exchange information with my child's health care provider and dispensing pharmacy identified on the medication label as deemed necessary. / I hereby request that Haysville Schools cooperate with the prescribing health care provider and assist with the administration of medication pursuant to the policy of the Haysville Schools. I also certify that my child has received least one dose of the medication requested above and has not had any adverse reactions to it. / I further release Haysville Schools and school personnel from liability when my child self-carries and self-administers medication. / I approve of this Asthma Care Plan. Parent/Guardian Signature Date School Nurse Signature Date QUICK RELIEF (RESCUE) MEDICATION: Albuterol Xopenex Other: **HEALTH CARE PROVIDER** to complete all items, SIGN, and DATE Common side effects: Theart rate, tremor Have student use spacer with inhaler. completed form Controller medication used at home: \_\_\_\_\_ If temperature is below \_\_\_\_\_ degrees F, student should stay inside. IF YOU SEE THIS: DO THIS: Pretreat strenuous activity: N/A Scheduled Student/Parent request No current symptoms No Symptoms Doing usual activity Give QUICK RELIEF MED \_\_\_\_\_minutes before activity Present Number of puffs: Repeat in \_\_\_\_\_ hours, if needed, for additional physical activity. - Trouble breathing 1. Stop physical activity - Wheezing 2. Give QUICK RELIEF MED: Mild Symptoms Number of puffs: \_\_\_\_\_ - Frequent cough - Complains of tight chest 3. Stay with student and maintain sitting position - Not able to do activities. 4. **REPEAT** QUICK RELIEF MED, if not improving in 10-15 minutes with 2 puffs / 4 puffs / \_\_\_\_\_ puffs talking in complete sentences 5. Student may return to normal activities, once symptoms are relieved - Peak flow: -6. If symptoms do not improve in 15 minutes or worsen following quick relief medication, follow RED ZONE plan. - Coughs constantly 1. Give QUICK RELIEF MED: # of puffs: \_ - Struggles to breathe - Refer to anaphylaxis plan if student has life-threatening allergy - Trouble talking (only **RED ZONE:** 3. Stay with student and remain calm, encouraging slower, deeper breaths. speaks 3-5 words) - Skin of chest and/or neck 4. Notify parents/guardians pull in with breathing 5. If symptoms do not improve, **REPEAT** QUICK RELIEF MED: 2 puffs or 4 puffs every 5 minutes until EMS arrives. - Lips/fingernails gray or blue - ↓ Level of consciousness - Peak flow < PROVIDER INSTRUCTIONS FOR QUICK RELIEF INHALER USE: CHECK APPROPRIATE BOX(ES) Student needs supervision or assistance to use inhaler. Student will not self-carry inhaler. Student understands proper use of asthma medications, and, in my opinion, can carry and use his/her inhaler at school independently with approval from school nurse.

Student will notify school staff after using quick relief inhaler, if symptoms do not improve with use.

Print Provider Name

Date

Phone # / Fax #

Health Care Provider Signature